

KÄRCHER

makes a difference



RUGGED AND PORTABLE CLEANING POWER.

Compact roll cage hot water pressure washer.



PROFESSIONAL | HDS P/PE CAGE

HDS P/PE CAGE



Outstanding on all terrains.

Built on a rugged 1-1/4" powder coated steel frame, these compact gas roll cage models are designed for construction sites, farms and factories. The different models deliver hot water cleaning of up to 3500 PSI. Each features a Kärcher pump with limited 7-year warranty, industrial-grade motor and flat-free tires. All are certified to UL and CSA safety standards.



POWERED by
HONDA



1 Powerful and durable

- Industrial-grade Honda and Subaru engines with two-year warranty; two models with electric-start standard.
- Efficient burner with transformer for years of reliable and affordable operation.
- Industrial-grade, tri-plunger, oil-bath, direct-drive, Kärcher pump with 7-year warranty.
- 50 ft. of durable, wire braid hose rated for 3000 or 4500 PSI; with hose guard for burst protection.
- Heavy-gauge 11/4" steel frame with powder coat finish for all-weather protection.
- Power platform cushioned on 4 vibration isolators for smoother operation and long-life protection to frame and components.
- Insulated Schedule 80 heating coil is made of 1/2-inch steel pipe and cold-rolled; comes standard with stainless steel coil wrap and 5-year warranty.

2 Smart features

- Four conveniently mounted, quick-couple spray nozzles for varying fan spray.
- Safety relief valve attached to discharge side for protection against excess pressure build up.
- Rust-free, 6-gallon polyethylene diesel fuel tank for hours of operation without interruption.
- EASY!Force trigger gun with cruise control like technology uses its own recoil force to hold the trigger down - so, no more sore hands after hours of use.
- Water resistant control box with burner on/off switch, adjustable thermostat and hour meter.
- Thermal pump saver valve protects against hot-water damage by venting recirculated water.
- Insulated, dual-lance variable pressure wand with quick-couple connectors for easy attachment of high-pressure spray nozzles.

Technical data and equipment.

Features

- Direct-drive tri-plunger pumps
- Stainless steel coil wrap standard
- Rugged frame with powder finish
- Flat-free tires
- Schedule 80 heating coil
- ETL certified to UL & CSA Safety Standards
- EASY!Force trigger gun with cruise control like technology uses its own recoil force to hold the trigger down - so, no more sore hands after hours of use.

Technical data

Model	Part No.	GPM	PSI	Drive	CC	Engine	Start	Pump	Burner	Ship Weight (lbs)	Ship Dimensions (L x W x H) inches
HDS 2.6/30 P Cage	1.575-550.0	3.0	3000	Direct	270	Honda GX270	Recoil	Kärcher KP	12V DC	500	50 x 40 x 58
HDS 3.5/30 P Cage	1.575-551.0	3.5	3000	Direct	337	Honda GX340	Recoil	Kärcher KS	12V DC	550	50 x 40 x 58
HDS 3.5/30 Pe Cage	1.575-552.0	3.5	3000	Direct	337	Honda GX340	Electric	Kärcher KS	12V DC	560	50 x 40 x 58
HDS 3.5/35 Pe Cage	1.575-553.0	3.5	3500	Direct	389	Honda GX390	Electric	Kärcher KS	12V DC	595	50 x 40 x 58

Standard EASY!Force Accessory

Order No.	Description
8.756-481.0	EASY!Force trigger gun (North American Model) - zero force required. Standard 1/4" connection for wand, 3/8" connection for hose.

Please contact us for more information:

North America

4555 Airport Way
Denver, CO 80239
U.S.A.

Phone 800-456-6649
Fax 303-738-2818

www.karcher.com/us

Canada

6535 Millcreek Drive
Unit 67
Mississauga, ON L5N 2M2
Canada

Phone 905-672-8233
Fax 905-672-3155

www.karcher.ca